

BAG OPENER

BAG OPENER

PAM
WBO40

PAM

BALER · SORTING

planmakina.com.tr

BAG OPENER

Descriptions

The **Bag Opener** opens the plastic bags and transfers the metered material to the subsequent sorting and preparation plants. Bag opener can be feed with moving floor or conveyor depends on the material types and capacity of the plant.

PAM offer three types of Bag Opener

Moving knife Bag opener BO series

Fixed Knife Bag Opener BOF Series

Sliding knife Bag opener BOS Series

Over 95% bag opening rate depends on the different materials type. Can be Apply range of materials like MRF,MSW, waste paper etc

- Low maintenance cost
- Low electrical consumption
- Easy access of all the spare parts
- Automatically stop the machine if any foreign material comes in to contact.
- Large hopper size to increase the capacity

Models

	BO 30	BO 40	BO 50	BOF 30	BOF 40
Capacity	30 ton/h @ 350 kg/m ³	40 ton/h @ 350 kg/m ³	45 ton/h @ 350 kg/m ³	30 ton/h @ 350 kg/m ³	40 ton/h @ 350 kg/m ³
Shaft Length	1300 mm	1700 mm	2000 mm	1700 mm	2000 mm
Shaft Diametre	Ø 750 X 1500	Ø 750 X 1700	Ø 750 X 2000	Ø 750 X 1500	Ø 750 X 1700
Shaft Speed	33 rpm	33 rpm	33 rpm	33 rpm	33 rpm
Electric Motor	22 kW	30 kW	37 kW	22 kW	30 kW
Hopper Volume	14-27 m ³	17-33 m ³	22-45 m ³	17-33 m ³	22-45 m ³





Head Office Address

29 Ekim Mah. Karakaya Sok. No:23 Torbalı / İzmir / Türkiye

Phone +90 (232) 853 96 23 • +90 (232) 853 96 24 • +90 (232) 853 96 25

Fax +90 (232) 853 96 26

Email info@planmakina.com.tr

Web www.planmakina.com.tr