



TWO RAM BALEE

Descriptions

PAM Two RAM Baler has a high density press and designed and built to press and bale different difficult materials.

PAM Two RAM Balers build with solid one piece body structure. Because One piece body increase the reliability and long life and reducing structural weakness and creating a more robust machine designed specifically with these properties.

Compared with the Horizontal baling presses TWO RAM baler is more flexible and best to handle large supplies of solution.

4 different model of Two ram baler is suitable for different capacity customer.

Models

		TR 100	TR 130	TR 200	TR 200XL
Motor Power	kW	1 x 30 kW, 1 x 37 kW	1 x 55 kW	1 x 75 kW, 1 x 90 kW	2 x 75 kW, 2 x 90 kW
Preesing Force	Ton	100 Tons	130 Tons	170 Tons	185 Tons
Bale Size	Mm	1070 x 780 x 1000-1300 mm	1070 x 780 x 1000-1300 mm	1070 x 780 x 1300-1500 mm	1070 x 780 x 1300-1500 mm
Cycle Time	Sec	From 36 to 22 sec	From 24 to 14 sec	From 15 to 9 sec	From 15 to 9 sec
Hopper Feeding Dimention	Mm	1500 x 1070 mm	1700 x 1070 mm	200 x 1070 mm	2000 x 1070 mm
Oil Tank Capacity	Lt	1400 Lt	2000 Lt	2400 Lt	2800 Lt

















Head Office Address

29 Ekim Mah. Karakaya Sok. No:23 Torbalı / İzmir / Türkiye

Phone +90 (232) 853 96 23 • +90 (232) 853 96 24 • +90 (232) 853 96 25 Fax +90 (232) 853 96 26 Email info@planmakina.com.tr Web www.planmakina.com.tr